


## Factory



## R&D resources



## Quality & Testing center



## Coating Workshop



## Injection Workshop



## Die cast Workshop



## Stamping Workshop



## Assembly Workshop



## PCBA Workshop



## Contents



Air fryer ----- 01 – 14



Espresso machine ----- 15 – 26



Blender ----- 27 – 34

# AIR FRYER SERIES

SATISFY YOUR INFINITE IMAGINATION





**AF-6004ET**  
*Features* 6L series

- 120-240V,50/60Hz,1700W.
- All-metal inner and outer cavities, reduce smelling.
- Touch control panel for easy operation .
- Non stick coating for easy cleaning.
- See-through cooking window.



Qty/ctn	20GP	40GP	40HQ
1PCS	508PCS	1027PCS	1134PCS



**AF-1003ET**  
*Features* 9.5L series

- 120-240V,50/60Hz,1700W-2400W.
- Dual zone to cook 2 foods 2 ways, both finish at the same time.
- Cook mains & sides in 1 appliance, or cater to 2 different tastes.
- Remove the divider to transform 2 independent cooking zones into 1 extra-large 10L Mega Zone to cook larger foods, traybakes & complete meals.
- Feeds 8+ people.
- 7 cooking functions : Air Fry, Broil, Roast, Bake, Reheat, Dehydrate, Keep warm.
- With window, food cooking process at a glance.



Qty/ctn	20GP	40GP	40HQ
1PCS	390PCS	828PCS	828PCS



**AF-8001ET**  
*Features* 8L series

- 120-240V,50/60Hz,1700W-2400W.
- 8L capacity.
- All-metal inner and outer cavities, reduce smelling.
- Dual zone to cook 2 foods 2 ways, both finish at the same time.
- Cook mains & sides in 1 appliance, or cater to 2 different tastes.
- Touch control panel for easy operation .
- Non stick coating for easy cleaning.
- See-through cooking window.



Qty/ctn	20GP	40GP	40HQ
1PCS	400PCS	856PCS	980PCS



**AF-9001ET**  
*Features* 9L series

- 120-240V,50/60Hz,1700W-2400W.
- 2 independent heater to cook different food.
- You can choose finish both pot at the same time, Or only cook 1 pot food.
- With a heat pipe, heating more uniform, higher efficiency, better taste.
- Cooking functions: Air Fry, Roast, Broil, Bake, Reheat, Dehydrate.



Qty/ctn	20GP	40GP	40HQ
1PCS	352PCS	726PCS	864PCS





AF-6005ET

Features 6L series

- 120-240V,50/60Hz,1700W.
- All-metal inner and outer cavities, reduce smelling.
- Touch control panel for easy operation .
- Non stick coating for easy cleaning.
- See-through cooking window.



Qty/ctn	20GP	40GP	40HQ
2PCS	528PCS	1088PCS	1260PCS



SATISFY YOUR INFINITE IMAGINATION




AF-600ETS WIFI Air fryer

Features 6L series

- 100-240V, 50/60Hz, 1500W-2000W.
- Touch control panel for easy operation.
- Non stick coating for easy cleaning.
- Elegant design with matt finish.
- Metal cavity other than plastic cavity to reduce smelling.
- Optional bottom heater for much even cooking result.
- Optional large see through window for easy observation.
- Can be connected via Wi-Fi byTuya APP for control, smart and convenient.
- Tuya WIFI function can be extended to other models.



Qty/ctn	20GP	40GP	40HQ
2PCS	490PCS	1038PCS	1116PCS



SATISFY YOUR INFINITE IMAGINATION



SATISFY YOUR INFINITE IMAGINATION



KZ-3002

**Features** 3L series

- Power:1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting by knob.
- 200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	888PCS	1924PCS	2136PCS



KZ-3005

**Features** 3L series

- Power:1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting by knob.
- 200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	888PCS	1924PCS	2136PCS



KZ-3006

**Features** 3L series

- Power:1300W.
- Knob control,easy to use.
- Detachable non-stick oil tank,easy to clean.
- 200°C heating,precision temperature control, with overheat protection.
- 60 minutes timer,automatically shut off for precise cooking.
- Power cord storage & Non-slip feet.
- Vortex heat flow.

Qty/ctn	20GP	40GP	40HQ
2PCS	856PCS	1836PCS	2062PCS

**Features** 3L series

- Power:1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- Digital touch screen.
- 8 functions with digital touch screen.
- Body sense touch control.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	888PCS	1924PCS	2136PCS



KZ-3015

**Features** 3L series

- Power:1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- Digital touch screen.
- 8 functions with digital touch screen.
- Body sense touch control.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	888PCS	1924PCS	2136PCS



KZ-3016

**Features** 4L series

- 220-240V ~1500W.
- 120V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	576PCS	1224PCS	1428PCS



KZ-4001

**Features** 4L series

- 220-240V ~1500W.
- 120V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	576PCS	1224PCS	1428PCS



KZ-4002



KZ-4009A

**Features** 4L series

- Power:1370W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting by knob.
- 200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	624PCS	1372PCS	1588PCS



KZ-4009C

**Features** 4L series

- Power:1370W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting by knob.
- 80-200°C temperature height.
- Power cord storage & Non-slip feet.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	624PCS	1372PCS	1588PCS



KZ-4011

**Features** 4L series

- 220-240V ~1500W.
- 120V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	576PCS	1244PCS	1420PCS



KZ-4012

**Features** 4L series

- 220-240V ~1500W.
- 120V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	628PCS	1290PCS	1408PCS

**Features** 4L series

- Power:1200W.
- Detachable Pot with detachable frying rack.
- Water atomization system, adjust moisture & temperature
- 60 minutes timer setting.
- 8 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- Transparent window for look the cooking process.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	628PCS	1290PCS	1408PCS



KZ-4015

**Features** 4L series

- Power:1200W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- Transparent window for look the cooking process.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	628PCS	1290PCS	1408PCS



KZ-4015T

**Features** 4L series

- 220-240V ~1500W.
- 120V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 8 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	576PCS	1224PCS	1428PCS



KZ-4022

**Features** 4L series

- 120-240V,50/60Hz,1500W.
- matte surface, brushed texture, strong texture, high-grade.
- The top cover is PC material, the control display is clearer.
- The coaming and bottom plate of the inner cavity are high temperature resistant PP plastic.
- The operation panel at the top, do not bend over, easy to operate.
- Touch button, operation more silky.
- 8 large menu mode: Wings、Steak、Fish、Shrimp、Vegetable、Cake、Chips、Potato.

Qty/ctn	20GP	40GP	40HQ
2PCS	612PCS	1308PCS	1526PCS



KZ-4013



KZC-4085

**Features** 4L series

- 120-240V,50/60Hz,1400W.
- Intelligent electronic knob, precise temperature control,easy operation.
- 40-200°C wide temperature adjustable.
- Convenient window, cooking process at a glance.

Qty/ctn	20GP	40GP	40HQ
2PCS	550PCS	1174PCS	1392PCS



AF-500ETS

**Features** 5L series

- Power:120-240V,50/60Hz,1500W-2000W.
- Touch control panel for easy operation.
- Non stick coating for easy cleaning.
- Elegant design with matt finish.
- Metal cavity other than plastic cavity to reduce smelling.
- Long slim basket perfect for frying fish.
- Optional bottom heater for much even cooking result.
- Optional large see through window for easy observatlon.

Qty/ctn	20GP	40GP	40HQ
2PCS	510PCS	1104PCS	1288PCS



AF-500M

**Features** 5L series

- Power:120-240V,50/60Hz,1700W.
- Knob control for easy operation.
- 60 minutes timer setting.
- Non stick coating for easy cleaning.
- Elegant design with matt finish.
- Metal cavity other than plastic cavity to reduce smelling.
- Long slim basket perfect for frying fish.
- Optional bottom heater for much even cooking result.
- Optional large see through window for easy observation.

Qty/ctn	20GP	40GP	40HQ
2PCS	510PCS	1104PCS	1288PCS



KZ-5003

**Features** 5L series

- 120V,220-240V,50/60Hz,1500W.
- Knob control for easy operation.
- Transparent window, see food statusdirectly without pull out thebasket.
- Metal cavity other than plastic cavity to reduce smelling.
- 80-200°C height.
- 60 minutes timer setting.

Qty/ctn	20GP	40GP	40HQ
1PCS	600PCS	1224PCS	1224PCS

**Features** 5L series

- 120-240V,50/60Hz,1500W.
- The shell (including the top cover) is PP plastic parts and bright surface.
- The coaming and bottom plate of the inner cavity are high temperature resistant PP plastic.
- The operation panel at the top, do not bend over, easy to operate.
- Touch button, operation more silky.
- 8 large menu mode: Wings、Steak、Fish、Shrimp、Vegetable、Cake、Chips、Potato.

Qty/ctn	20GP	40GP	40HQ
2PCS	612PCS	1308PCS	1526PCS



KZ-5011

**Features** 6L series

- Power:120-240V,50/60Hz,1500W-2000W.
- Touch control panel for easy operation.
- Non stick coating for easy cleaning.
- Elegant design with matt finish.
- Metal cavity other than plastic cavity to reduce smelling.
- Optional bottom heater for much even cooking result.
- Optional large see through window for easy observation.

Qty/ctn	20GP	40GP	40HQ
2PCS	490PCS	1038PCS	1116PCS



AF-600ETS

**Features** 6L series

- Power:120-240V,50/60Hz,1700W.
- Knob control for easy operation.
- 60 minutes timer setting.
- Non stick coating for easy cleaning.
- Elegant design with matt finish.
- Metal cavity other than plastic cavity to reduce smelling.
- Optional bottom heater for much even cooking result.
- Optional large see through window for easy observation.

Qty/ctn	20GP	40GP	40HQ
2PCS	490PCS	1038PCS	1116PCS



AF-600M

**Features** 6L series

- 220-240V ~1700W.
- 120V ~1500W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	472PCS	978PCS	1166PCS



KZ-6011



KZ-6011T

**Features** 6L series

- 120V, 220-240V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS



KZ-6011S

**Features** 6L series

- 220-240V ~1700W.
- 120V ~1500W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS



KZ-6011TS

**Features** 6L series

- 120V, 220-240V ~1300W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- SS decoration.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS



KZ-6012S

**Features** 6L series

- 220-240V ~1700W.
- 120V ~1500W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- SS decoration.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS

**Features** 6L series

- 220-240V ~1700W.
- 120V ~1500W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS



KZ-6012

**Features** 6L series

- 220-240V ~1700W.
- 120V ~1500W.
- Detachable Pot with detachable frying rack.
- 60 minutes timer setting.
- 6 functions with digital touch screen.
- Power cord storage & Non-slip feet.
- 80-200°C height.
- SS decoration.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	524PCS	1082PCS	1232PCS



KZ-6013S

**Features** 8L series

- Power:1750W.
- Detachable non-stick oil tank.
- Detachable frying pan.
- 8 functions one touch operation.
- With overheat protection.
- 60 minutes timer automatically shut off for precise cooking.
- Power cord storage & Non-slip feet.
- Precision temperature control 200°C heating.
- SS decoration.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	416PCS	860PCS	960PCS



KZ-8011A

**Features** 8L series

- Power:1750W.
- Detachable non-stick oil tank.
- Detachable frying pan.
- 8 functions one touch operation.
- With overheat protection.
- 60 minutes timer automatically shut off for precise cooking.
- Power cord storage & Non-slip feet.
- Precision temperature control 200°C heating.
- SS decoration.
- Vortex heat flow.
- Easy to clean.

Qty/ctn	20GP	40GP	40HQ
2PCS	416PCS	860PCS	960PCS



KZ-8011S

# ESPRESSO MACHINE SERIES

SATISFY YOUR INFINITE IMAGINATION





**CM-2301P**  
*Features*

- Wattage:1000W.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wand produces steam for make thick milk froth.
- Removable watertank (1.7L).
- Removable drip tray.



Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS




**CM-2301S**  
*Features*

- Wattage:1000W.
- SS decoration housing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wand produces steam for make thick milk froth.
- Removable watertank (1.7L).
- Removable drip tray.



Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



**CM-4303**  
*Features*

- Wattage:1350W.
- 20 bar pump pressure.
- 1.7L detachable transparent water tank and 0.6L built-in frothing container.
- Stainless steelshell.
- Light touch buttons with indicator lights to make espresso,cappucino andlatte coveniently.
- With simple one-touch operation to brew and froth yourhigh-qualitycoffee beverages.
- Milk froth and clean function.
- Thermal block heatingssystem, S/S water tube.
- 1 or 2 cups ground coffee S/S filter.
- Removable and washable drip tray,S/S filter and aluminum die-casting filter holder.
- With over-heat & over-pressure protecting device.
- Flow gauge and cup warmer.



Qty/ctn	20GP	40GP	40HQ
2PCS	768PCS	1560PCS	1784PCS




**EM-2205D**  
*Features*

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.
- Color screen display.
- Time regulation.



Qty/ctn	20GP	40GP	40HQ
2PCS	1080PCS	2304PCS	2688PCS



SATISFY YOUR INFINITE IMAGINATION



EM-2211A

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



EM-2211C

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



EM-2212A

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



EM-2212TR

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



EM-2212C

**Features**

- Wattage:850W.
- SS decoration hosing.
- Plastic housing.
- Cup warming plate.
- Boiler heating system.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wang produces steam for make thick milk froth.
- Removable water tank (1.7L).
- Removable drip tray.

Qty/ctn	20GP	40GP	40HQ
2PCS	876PCS	1812PCS	2114PCS



EM-2217



EM-2214KB

**Features**

- Wattage: 1100W.
- Plastic hosing.
- Cup warming plate.
- Boiler heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wand produces steam for make thick milk froth.
- Removable water tank (0.7L).

Qty/ctn	20GP	40GP	40HQ
2PCS	874PCS	1814PCS	2112PCS



EM-2214SW

**Features**

- Wattage: 1100W.
- Plastic hosing.
- Cup warming plate.
- Boiler heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wand produces steam for make thick milk froth.
- Removable water tank (0.7L).

Qty/ctn	20GP	40GP	40HQ
2PCS	874PCS	1814PCS	2112PCS



EM-2214TC

**Features**

- Wattage: 1100W.
- Plastic hosing.
- Cup warming plate.
- Boiler heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Single & double cups stainless steel filter.
- Steam wand produces steam for make thick milk froth.
- Removable water tank (0.7L).

Qty/ctn	20GP	40GP	40HQ
2PCS	874PCS	1814PCS	2112PCS



SATISFY YOUR INFINITE IMAGINATION





EM-2205A

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	1080PCS	2304PCS	2688PCS



EM-2205B

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	1080PCS	2304PCS	2688PCS



EM-2205C

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	1080PCS	2304PCS	2688PCS



EM-2205N1

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	1080PCS	2304PCS	2688PCS

**Features**

- Wattage:1350W.
- Plastic hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	896PCS	1840PCS	2060PCS



EM-2208A

**Features**

- Wattage:1350W.
- Plastic hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	896PCS	1840PCS	2060PCS



EM-2208B

**Features**

- Wattage:1350W.
- Plastic hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	896PCS	1840PCS	2060PCS



EM-2208C

SATISFY YOUR INFINITE IMAGINATION





EM-2206A

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	840PCS	1740PCS	2030PCS



EM-2206B

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	840PCS	1740PCS	2030PCS



EM-2206C

**Features**

- Wattage:1350W.
- Full ss hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	840PCS	1740PCS	2030PCS

SATISFY YOUR INFINITE IMAGINATION



**Features**

- Wattage:1350W.
- Stainless steel hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	800PCS	1806PCS	2030PCS



EM-2213A

**Features**

- Wattage:1350W.
- Stainless steel hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	800PCS	1806PCS	2030PCS



EM-2213B

**Features**

- Wattage:1350W.
- Stainless steel hosing.
- Thermo-block heating system.
- Pre-brew function.
- 20 bar pump produces a rich and savory espresso.
- Steam / hot water selection.
- Steam wand produces steam for make thick milk froth.
- Swivel steam wand for easy using.
- Single & double cups stainless steel filter.
- Removable water tank (1.35L).
- Removable drip tray for easy cleaning.

Qty/ctn	20GP	40GP	40HQ
2PCS	800PCS	1806PCS	2030PCS



EM-2213C

SATISFY YOUR INFINITE IMAGINATION



# BLENDER SERIES



BL-8802



Low noise multi functional cooking blender

**Features**

- 110-240V,50/60Hz,1000W.
- 1.75L capacity.
- Optional Cooking cup, Food processor bowl,Travel Cup.
- The cup body is removable and operates independently.

Qty/ctn	20GP	40GP	40HQ
1PCS	392PCS	840PCS	913PCS

SATISFY YOUR INFINITE IMAGINATION



SATISFY YOUR INFINITE IMAGINATION



VK-1206

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	822PCS	1704PCS	1904PCS



VK-1806

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	822PCS	1704PCS	1904PCS



VK-1802

SS shell + IMD panel

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	608PCS	1248PCS	1384PCS

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



PB207

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



PB702

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	822PCS	1704PCS	1904PCS



BL1036

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



BL1037



PB219

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



PB701

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



PB206

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



PB101C

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	672PCS	1400PCS	1580PCS



BL1101

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	672PCS	1400PCS	1580PCS



BL1102

### Features

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:600W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	696PCS	1432PCS	1484PCS



CBL1355A

### Features

- 120V-240V, 50/60Hz, 800W blending 900W heating.
- Stylish design, Borosilicate glass jar.
- Touch panel for easy operation.
- LED display, 12 hours preset, 4 hours auto keep warm.
- Magnetic jar lock mechanism.
- 6 blades.
- High speed motor rotary and 8 speeds setting.
- Low noise < 75db.
- Non-stick heating element.

Qty/ctn	20GP	40GP	40HQ
2PCS	728PCS	1542PCS	1572PCS



L18-P132

SATISFY YOUR INFINITE IMAGINATION



PB401

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:1000W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	834PCS	1720PCS	1956PCS



VK-9858

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:600W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	696PCS	1432PCS	1484PCS



VK-9859A

**Features**

- High speed blender with heating function.
- 1.75 high borosilicate glass jar.
- Jar cover with leakage-proof function.
- Blending power:600W.
- Heating power:800W.
- With magnetic induction jar lock.

Qty/ctn	20GP	40GP	40HQ
2PCS	696PCS	1432PCS	1484PCS

**Features**

- Blenders
- Power: 500W
- Capacity: 1500ml
- 4-blades SS knife
- Glass jar
- Optional: 600W
- Optional: SS knob
- Optional: Grinder
- Optional: 5 speeds + pulse
- Optional: 6-blades SS knife

Qty/ctn	20GP	40GP	40HQ
4PCS	1300PCS	2800PCS	3320PCS



WJ-6802  
2 speeds + pulse

**Features**

- Blenders
- Power: 500W
- Capacity: 1500ml
- 4-blades SS knife
- Glass jar
- Optional: 600W
- Optional: SS knob
- Optional: Grinder
- Optional: 5 speeds + pulse
- Optional: 6-blades SS knife

Qty/ctn	20GP	40GP	40HQ
4PCS	1300PCS	2800PCS	3320PCS



WJ-6808  
2 speeds + pulse

**Features**

- Blenders
- Power: 700W
- Capacity: 1500ml
- 4-blades SS knife
- Glass jar
- Optional: SS knob
- Optional: Grinder
- Optional: 5 speeds + pulse
- Optional: 6-blades SS knife

Qty/ctn	20GP	40GP	40HQ
4PCS	1300PCS	2800PCS	3320PCS



WJ-6809  
2 speeds + pulse

**Features**

- Blenders
- Power: 700W
- Capacity: 1500ml
- 4-blades SS knife
- Glass jar
- Optional: SS knob
- Optional: Grinder
- Optional: 5 speeds + pulse
- Optional: 6-blades SS knife

Qty/ctn	20GP	40GP	40HQ
4PCS	1300PCS	2800PCS	3320PCS



WJ-6820  
2 speeds + pulse



**Features** Electric food steamer

- Model knob operation.
- 8 menus are available.
- Double steamer + bottom pan.
- Steamed food, soup next.
- 60 minute timing.
- Food grade material.

Qty/ctn	20GP	40GP	40HQ
1PCS	868PCS	1834PCS	2096PCS

ZD20-GE560



**Features** Electric food steamer

- Touch button operation.
- Choose from 7 menus.
- Steamed food, soup next.
- Digital display.
- 60 minute timing.

Qty/ctn	20GP	40GP	40HQ
1PCS	868PCS	1834PCS	2096PCS

ZD20-GE561

SATISFY YOUR INFINITE IMAGINATION



**Features** Dough maker

- DC motor, high efficiency, small size, low noise.
- 200W large torque.
- ≤65db light tone work.
- The dough bucket is food grade 304/0.7 thick stainless steel.
- Touch operation.
- Three modes: harmony, wake up, harmony + wake up.
- Can be booked, timing.

Qty/ctn	20GP	40GP	40HQ
1PCS	594PCS	1224PCS	1360PCS



BL1105

**Features** Dough maker

- DC motor, high efficiency, small size, low noise.
- 200W large torque.
- ≤65db light tone work.
- The dough bucket is food grade 304/0.7 thick stainless steel.
- Double knob operation, mixing and waking knob setting.

Qty/ctn	20GP	40GP	40HQ
1PCS	882PCS	1814PCS	2042PCS



BL1135

SATISFY YOUR INFINITE IMAGINATION

