

CC-69

Fast Car Charger



Single-port charging		
PD 45W	PD 45W	PD 140W
Two-port charging		
PD 45W	PD 45W	PD 140W
Three-port charging		
PD 45W	PD 45W	PD 140W



230W

CC-89

Fast Car Charger
with retractable cable



84W/50W

Total output: 84W

Model:CC89


Input:DC12-24V

USB-A:QC18W

USB-C:PD30W/PPS33W


Cable:PD30W/PPS33W

84W=PPS33W/PD30W
+PPS33W/PD30W+QC18W



CC-96

Fast Car Charger
with retractable cable



84W/81W/50W

Total output: 84W

Model:CC96

Input:DC12-24V


USB-A:QC18W

USB-C:PD30W/PPS33W

Cable:PD30W/PPS33W


84W=PPS33W/PD30W

+PPS33W/PD30W+QC18W



CC-99

Fast Car Charger With Air Tag



51W

Total output: 51W

Model: CC-99

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W


51W=PPS33W/PD30W+QC18W



MFi

CC-90

Fast Car Charger



102W/68W/66W

Total output: 51W

Model: CC-90


Input: DC12-24V

USB-A*2 : QC18W

USB-C*2 : PD30W/PPS33W

102W=PPS33W/PD30W+OC18W+

PPS33W/PD30W+OC18W



CC-98

Fast Car Charger

Seatbelt Cutter

51W

Model: CC-98

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W

51W=PPS33W/PD30W+QC18W



CC-76



66W



51W



36W

Total output: 66W

Model: CC-76

Input: DC12-24V-5A

USB-C1:PD30W

USB-C2:PD30W/PPS33W

66W=PPS33W/PD30W

+PPS33W/PD30W



CC-88

Transparent Car Charger



Total output: 36W


Model: CC-88

Input: 12-24V

USB A: QC18W

Type-C: PD36W

Share: 5V-3A




CC-95



Total output: 36W

Model: CC-95
Input: 12-24V
USB A: QC18W
Type-C: PD36W
Share: 5V-3A



CC-94

Metal Ccar Charger



83W



Total output: 83W


Model: CC-94

Input: DC12-24V-14A

USB-A: QC18W

USB-C: PD 65 W

83W=PD65W+ QC18W



CC-91



51W

Total output: 51W


Model: CC-91

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W

51W=PPS33W/PD30W+QC18W



CC-83



43W

Total output: 43W

Model: CC-83

Input: DC12-24V


USB-A: 10W

USB-C: PD30W/PPS33W

43=PPS33W/PD30W+10W



- 1 USB: 5V/2A ; U Disk: Play music.
- 2 AUX Audio Interface
- 3 TF Card : Play music.
- 4 USB-C: Output PD30W (5V/3A,9V/3A,12V/2.5A).
- 5 Knob: Control volume /FM frequency .
- 6 Digital tube displays FM frequency and volume.
- 7 Short press the previous song.
- 8 Short Press the next song.
- 9 Short press pause/play, Long press to adjust the FM frequency.(Bluetooth mode: Double click to replay the call; During an incoming call: short press to answer, long press to reject ; During a call: short press to hang up.)



CC-80



78W/51W



51W



51W



36W



Total output: 51W

Model: CC-80

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W

51W=PPS33W/PD30W+OC18W

Total output: 78W

Model: CC-80

Input: DC12-24V

USB-A: QC 45W

USB-C: PD30W/PPS33W

USB-L: PD30W/PPS33W

78W=PPS33W / PD30W+QC45W

single-port charging



Two-port charging



CC-77



78W/51W



51W



51W



36W



Total output: 51W

Model: CC-77

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W

51W=PPS33W/PD30W+QC18W

single-port charging



Two-port charging



CC-70

Transparent Car Charger



90W/51W



36W



18W



Total output: 90W

Model: CC-70

Input: DC12-24V-9A

USB-A: QC45W

USB-C: PD45W

90W=PD45W+QC45W

single-port charging



Two-port charging



CC-68

Fast Car Charger
With RGB Light



126W/75W66W



Total output: 126 W MAX

Model: CC-68

Input: DC12-24V-12A

USB-A*2: QC30W

USB-C*2: PD60W/PPS63W

126W=PPS63W/PD60W+QC30W

+PPS63W/PD60W+QC30W

Total output: 66W MAX

Model: CC-68


Input: DC12-24V-12A

USB-A*2: QC18W

USB-C*2: PD30W/PPS33W

126W=PPS33W/PD30W+QC18W

+PPS33W/PD30W+QC18W



CC-68

Transparent Car Charger



83W/51W



84W



126W/75W66W



9.6A/48W

CC-53



138W

Total output:138W

Model: CC-53


Input: DC12-24V

USB-A: QC18W

Type-C1:PD30W/PPS33W

Type-C2: PD100W/PPS105W

Total Output:138W



CC-53



83W/51W



138W/84W



126W/75W66W



9.6A/48W

CC-62



CC62-1C

30W/20W



CC62-2C

66W/53W/40W



CC62-1A1C

65W/51W/38W



CC62-2A

36W/24W/17W

CC-50



Total output: 65W

Model: CC-50

Input: DC12-24V-6A

USB-A: QC18W

USB-C: PD45W/PPS47W

65W=PPS47W / PD45W+QC18W



Total output: 78W

Model: CC50-2C1A


Input: DC 12-24V

USB-A: QC18W

USB-C1/C2: PD30W/PPS33W

78W=PD30W/PPS33W

+PD30W/PPS33W+QC18W





CC50-2C1A

135W/84W



CC50-2C

66W/53W/40W



CC50-1A1C

65W/51W/38W



CC50-2A

36W/24W/17W



CC50-1C

30W/20W



CC50-1A

18W

CC-316



33W/20W



18W/12W



51W/38W/20W



24W/17W/12W



51W/38W/20W

CC-281



33W/20W



18W/12W



51W/38W/20W



24W/17W/12W



51W/38W/20W

CC-271



CC271-1A1C
38W/51W



CC271-2A1C
37W/50W




CC271-2A
24W / 36W



CC271-3A
36W

DY-07



Total output: 102W

Model: DY-07


Input: DC12-24V

USB-A*2: QC18W


USB-C*2: PD30W/PPS33W

102W=PPS33W/PD30W+QC18W

+PPS33W/PD30W+QC18W



DY-08



Total output: 102W

Model:DY-08


Input:DC12-24V

USB-A*2:QC18W

USB-C*2:PD30W/PPS33W

$$102W = PPS33W/PD30W + QC18W$$

+PPS33W/PD30W+QC18W



CC-62



63W/51W



96W/71W



Total output: 96W

Model: CC62


Input: DC12-24V-9A

USB-A: QC18W

USB-C: PD30W/PPS33W

Cable: PD45W

96W=PD45W+PPS33W/PD30W
+QC18W



CC-50



38W/51W

Total output: 51W

Model: CC-50

Input: DC12-24V-5A

USB-A: QC18W

USB-C: PD30W/PPS33W

51W=PPS33W/PD30W+QC18W



CC-60

Backseat Car Charger



Total output: 123W MAX

Model: CC-60

Input: DC12-24V-10A

USB-A*3: QC18W

USB-C1: PD45W

USB-C2C,C3: PD30W/PPS33W

123W=PD45W+PPS33W/PD30W+QC18W



Max Output: 102W

Model: CC-60

Input: DC12-24V

USB-A*2: QC18W

USB-C*2: PD30W/PPS33W

102W=PPS33W/PD30W+QC18W

+PPS33W/PD30W+QC18W

CC-53



Total output:71W

Model: CC-53

Input: DC12-24V-7A

USB-A: QC18W

USB-C: PD30W/PPS33W

Lightning Output :20W

71W=PPS33W/PD30W+PD20W+QC18W

CC-HC032

GaN Charger

CE RoHS



65W/45W



65W/45W



30W

Max Output: 65W

Model: HC032

Input: 100-240V

USB-C1 Output: 65W

USB-C2 Output: 65W

USB-C1+USB-C2 Output: 5/3A

size: 86MM*46.2MM*14.9MM



CC-HC031

GaN Charger



65W/45W



65W/45W



30W



CE RoHS



Max Output: 65W

Model: HC031

Input: 100-240V

USB-C1 Output: 65W

USB-C2 Output: 65W

USB-C1+USB-C2 Output: 5/3A

size: 86MM*46.2MM*14.9MM

CC-HC029



CE RoHS



Max Output: 65W

Model: HC029

Input: 100-240V

USB-C1: 65W

USB-C2: 65W

USB-A: 18W

USB-C1+USB-C2 Output: 5/3A

USB-C1+USB-A Output: 5/3A

USB-C2+USB-A Output: 5/3A

USB-C1+ USB-C2+USB-A Output: 5/3A



Max Output: 60W

Model: HC029

Input: 100-240V~50-60Hz 1.5A Max.

USB-C1/C2: 60W

USB-A1: 18W

Share Output : 5V-3A Max.

HC-4

CE RoHS



UK plug



EU plug

Max Output: 20W

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 20W

(USB-A + USB-C) Sharing: 5V=3A

Max Output: 30W GAN

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 30W

(USB-A + USB-C) Sharing: 5V=3A

HC-6

CE RoHS



UK plug



EU plug

Max Output: 20W

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 20W

(USB-A + USB-C) Sharing: 5V=3A

Max Output: 30W GAN

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 30W

(USB-A + USB-C) Sharing: 5V=3A

HC-7



UK plug



EU plug

Max Output: 20W

Material: PC+ABS

Input: AC110-240V

USB-A: QC 18W

USB-C: PD 20W

(USB-A + USB-C) Sharing: 5V=3A

Max Output: 25W

Material: PC+ABS

Input: AC110-240V

USB-A: QC 18W

USB-C: PD 25W

(USB-A + USB-C) Sharing: 5V=3A

HC-019



UK plug



EU plug

Max Output: 20W

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 20W

(USB-A + USB-C) Sharing: 5V=3A

Max Output: 30W GAN

Material: PC+ABS

Input: AC100-220V~1.2A

USB-A: QC 18W

USB-C: PD 30W

(USB-A + USB-C) Sharing: 5V=3A

CC-82





2C1A
66W

Output:PD30W/PPS33W+PD30W/PPS33W



2A1C
51W

Output: PD30W/PPS33W
+QC18W=51W
A+C Share:5V/3A



1A1C
51W

Output: QC18W+
PD30W/PPS33W



2A
36W

Output: QC18W+QC18W

CC-97



2A2C

66W

Output: PD30W/PPS33W
+PD30W/PPS33W
A+C Share:5V/3A



2A2C

66W

Output: PD30W/PPS33W
+PD30W/PPS33W
A+C Share:5V/3A



2A1C

51W

Output: PD30W/PPS33W
+QC18W=51W
A+C Share:5V/3A



2C1A

66W

Output:PD30W/PPS33W
+PD30W/PPS33W
A+C Share:5V/3A

CC-81





2C1A
66W

Output: 30W/PPS33W
(A+C)+30W/PPS33W



2A1C
48W

Output: 330W/PPS33W
(A+C)+QC18W



1A1C
51W

Output: QC18W+
PD30W/PPS33W



2A
36W

Output: QC18W+QC18W

CC-92



1A1C

51W

Output: QC18W+
PD30W/PPS33W




Works with
Apple Find My

Made for

iPhone | iPad

MFi



100W bidirectional
battery charging



Dual fast charging motorcycle,
dual port charger

Air Tag




Works with
Apple Find My

Made for
iPhone | iPad

MFi

Various Usage Scenarios



YD-TP01



YD-TP03



YD-TP02



YD-TP04



Power Input: DC 5V $\pm$ 0.2V-0.15A
Power Consumption: 0.75W



**Just Snap On
and Go**



**Compatible with
All AC Vents**