



PRODUCT SUMMARY

Upright Car Refrigerator & Freezer	01
Cooler Backpack	09
Compact Car Refrigerator & Freezer	11
Large - Capacity Car Refrigerator & Freezer	21
Customization	39
Slushie & Soft Ice Cream Maker	45
Snowflake Ice Machine	59
Compressor Ice cream maker	63
Mini Fridges	79

01

CAR FRIDGE FREEZER



CAR FRIDGE FREEZER T01 series

Get fresh all the way

Compressor

High-end Compressor Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing



T02-12



T01-12 Other Option

HOME USE
100-240V ADAPTOR




CAR USE
12/24V ADAPTOR





T02-12 330ml x16/ 500ml x8

Capacity: 12L
Average power consumption: 55W
N.W.: 8.2kg / G.W.: 9.8kg
Dimensions: 383x311x478mm
Packing size: 406x356x525mm
20'/40'/40HQ: 360/744/915 pcs



Detachable battery (Optional)
Aluminum liner heating (Optional)





T01-12 330ml x16/ 500ml x8

Capacity: 12L
Average power consumption: 55W
N.W.: 8.07kg / G.W.: 9.8kg
Dimensions: 383x313x458mm
Packing size: 406x356x506mm
20'/40'/40HQ: 360/744/915 pcs



Aluminum liner heating (Optional)



Bottle opener



Seat belt buckle



Digital display(C/°F)



Smooth handle

CAR FRIDGE FREEZER

Get fresh all the way

T03

series

Compressor

High-end Compressor

Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing



HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



T03-18

330ml x32 / 500ml x16

Capacity: 18L

Average power consumption: 55W

N.W.: 9.8kg / G.W.: 11.2kg

Dimensions: 448x364x488mm

Packing size: 502x446x568mm

20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)



T03-18A

330ml x32 / 500ml x16

Capacity: 18L

Average power consumption: 55W

N.W.: 9.8kg / G.W.: 11.2kg

Dimensions: 441x364x488mm

Packing size: 502x446x568mm


20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)



Digital display(C/°F)



Telescoping handle



Hidden wheels



Integrated handle

CAR FRIDGE FREEZER

Get fresh all the way

CC

series

Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing



HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



CC-18


330ml x32 / 500ml x16



Capacity: 18L
Average power consumption: 55W
N.W.: 9.8kg / G.W.: 11.2kg
Dimensions: 448x364x488mm
Packing size: 502x446x568mm
20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)



CCW-18


330ml x32 / 500ml x16



Capacity: 18L
Average power consumption: 55W
N.W.: 9.8kg / G.W.: 11.2kg
Dimensions: 441x364x488mm
Packing size: 502x446x568mm
20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)




Digital display(C/°F)



Telescoping handle



Hidden wheels



Integrated handle

CAR FRIDGE FREEZER

Get fresh all the way

CA

series

Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing



HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



CA-18

330ml x32 / 500ml x16

Capacity: 18L
Average power consumption: 55W
N.W.: 9.8kg / G.W.: 11.2kg
Dimensions: 441x364x488mm
Packing size: 502x446x568mm
20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)




CAW-18

330ml x32 / 500ml x16

Capacity: 18L
Average power consumption: 55W
N.W.: 9.8kg / G.W.: 11.2kg
Dimensions: 441x364x488mm
Packing size: 502x446x568mm
20'/40'/40HQ: 228/472/472 pcs



Detachable
battery
(Optional)



Digital display(C/°F)



Telescoping handle



Hidden wheels



Integrated handle

BACKPACK TYPE PORTABLE REFRIGERATOR

CE

series



Picnic



Outdoor





Sport



CE-15 (STD. VER.)
SINGLE TEMP. & SINGLE CTRL.

CE-15B (BATT. VER.)
SINGLE TEMP. & SINGLE CTRL.

Capacity: 15L
Average power consumption: 45W
N.W.: 7.0kg / G.W.: 8.0kg
Dimensions: 381x292x403mm
Packing size: 469x378x485mm
20'/40'/40HQ: 316x632x790 pcs



Top elastic cord for
placing a small
table board



Molle Mount



Adjustable temperature




Shoulder Strap
Waist Strap
Back Cushion
(Detachable)





CEW-15 (STD. VER.)
SINGLE TEMP. & SINGLE CTRL.

CEW-15B (BATT. VER.)
SINGLE TEMP. & SINGLE CTRL.

Capacity: 15L
Average power consumption: 45W
N.W.: 9.0kg / G.W.: 11.0kg
Dimensions: 381x251x520mm
Packing size: 530x469x485mm
20'/40'/40HQ: 232/448/560 pcs



Handle & Wheels



CAR FRIDGE FREEZER

Get fresh all the way

D/A

series

Compressor

High-end Compressor Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing



A10



D10



LED display screen



Left and right design with built-in integrated handles




(Optional)
Detachable rechargeable lithium battery
(A16/A18/A22/A28)

A10/D10

330ml x16 / 550ml x9

Capacity: 10L
Average power consumption: 55W
Dimensions: 486x313x273mm
20'/40'/40HQ: 448/924/1056 pcs

N.W.: 7.5kg / G.W.: 8.5kg
Packing size: 530x370x325 mm



HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR




NEW



A16

330ml x28 / 550ml x14


Capacity: 16L
Average power consumption: 55W
N.W.: 8.2kg / G.W.: 10kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x273mm
Packing size: 635x375x340 mm
20'/40'/40HQ: 330/672/784 pcs



A18

330ml x30 / 550ml x15


Capacity: 18L
Average power consumption: 55W
N.W.: 12.8kg / G.W.: 13.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x313mm
Packing size: 635x375x380 mm
20'/40'/40HQ: 330/672/777 pcs



A22

330ml x38 / 550ml x20


Capacity: 22L
Average power consumption: 55W
N.W.: 13.4kg / G.W.: 14.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x338mm
Packing size: 635x375x405 mm
20'/40'/40HQ: 270/555/666 pcs



A28

330ml x40 / 550ml x24

Capacity: 28L
Average power consumption: 55W
N.W.: 14.4kg / G.W.: 15.0kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x413mm
Packing size: 635x375x475 mm
20'/40'/40HQ: 275/560/560 pcs



CAR FRIDGE FREEZER

Get fresh all the way

B

series

Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



LED display screen



Left and right design with built-in integrated handles




(Optional B16/B18/B22/B28)
With detachable rechargeable lithium battery



B10

330ml x16 / 550ml x9


Capacity: 10L
Average power consumption: 55W
N.W.: 7.6kg / G.W.: 8.6kg
Dimensions: 486x313x273mm
Packing size: 530x370x325 mm
20'/40'/40HQ: 448/924/1056 pcs



B16

330ml x28 / 550ml x14


Capacity: 16L
Average power consumption: 55W
N.W.: 10kg / G.W.: 12kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x273mm
Packing size: 635x375x340 mm
20'/40'/40HQ: 330/672/784 pcs



B18

330ml x30 / 550ml x15


Capacity: 18L
Average power consumption: 55W
N.W.: 12.8kg / G.W.: 13.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x312mm
Packing size: 635x375x380 mm
20'/40'/40HQ: 330/672/777 pcs



B22

330ml x38 / 550ml x20


Capacity: 22L
Average power consumption: 55W
N.W.: 13.4kg / G.W.: 14.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x338mm
Packing size: 635x375x405 mm
20'/40'/40HQ: 275/555/666 pcs



B28

330ml x40 / 550ml x24

Capacity: 28L
Average power consumption: 55W
N.W.: 14.4kg / G.W.: 15.0kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x412mm
Packing size: 635x375x475 mm
20'/40'/40HQ: 275/560/560 pcs



CAR FRIDGE FREEZER

Get fresh all the way



Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR

CAR USE
12/24V ADAPTOR



LED display screen



Left and right design with built-in integrated handles




(Optional C16/C18/C22/C28)
With detachable rechargeable lithium battery



C10

330ml x16 / 550ml x9


Capacity: 10L
Average power consumption: 55W
N.W.: 7.6kg / G.W.: 8.6kg
Dimensions: 486x313x273mm
Packing size: 530x370x325 mm
20'/40'/40HQ: 448/924/1056 pcs



C16

330ml x28 / 550ml x14


Capacity: 16L
Average power consumption: 55W
N.W.: 10kg / G.W.: 12kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x273mm
Packing size: 635x375x340 mm
20'/40'/40HQ: 330/672/784 pcs



C18

330ml x30 / 550ml x15


Capacity: 18L
Average power consumption: 55W
N.W.: 12.8kg / G.W.: 13.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x312mm
Packing size: 635x375x380 mm
20'/40'/40HQ: 330/672/777 pcs



C22

330ml x38 / 550ml x20


Capacity: 22L
Average power consumption: 55W
N.W.: 13.4kg / G.W.: 14.5kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x338mm
Packing size: 635x375x405 mm
20'/40'/40HQ: 270/555/666 pcs



C28

330ml x40 / 550ml x24

Capacity: 28L
Average power consumption: 55W
N.W.: 14.4kg / G.W.: 15.0kg
Battery size: 125x91x80.5mm
Dimensions: 600x322x412mm
Packing size: 635x375x475 mm
20'/40'/40HQ: 275/560/560 pcs



CAR FRIDGE FREEZER T20 series

Get fresh all the way

Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



IMD display screen



Built-in light in the refrigerator



App Control




App




T15A 330ml x24/ 500ml x12

Capacity: 15L
Average power consumption: 55W
N.W.: 10.0kg / G.W.: 12.0kg
Dimensions: 586x330x288mm
Packing size: 680x374x346 mm
20'/40'/40HQ: 288/612/714 pcs




T20A 330ml x34/ 500ml x17

Capacity: 20L
Average power consumption: 55W
N.W.: 10.5kg / G.W.: 12.5kg
Dimensions: 586x330x328mm
Packing size: 680x374x386 mm
20'/40'/40HQ: 288/612/612 pcs



T25A 330ml x34/ 500ml x17

Capacity: 25L
Average power consumption: 55W
N.W.: 11.0kg / G.W.: 14.1kg
Dimensions: 586x330x368mm
Packing size: 680x374x426 mm
20'/40'/40HQ: 240/510/612 pcs



CAR FRIDGE FREEZER

Get fresh all the way

CD

series

Compressor


High-end Compressor
Refrigeration

-20°C ~ 20°C


Ultra-wide Freezing

HOME USE
100-240V ADAPTOR

CAR USE
12/24V ADAPTOR



IMD display screen



Built-in light in the refrigerator



App Control




App



CD15 330ml x24/ 500ml x12




Capacity: 15L
Average power consumption: 55W
N.W.: 9.5kg / G.W.: 11.5kg
Dimensions: 586x330x288mm
Packing size: 680x374x346 mm
20'/40'/40HQ: 288/612/712 pcs



CD20 330ml x34/ 500ml x17




Capacity: 20L
Average power consumption: 55W
N.W.: 10.5kg / G.W.: 12.5kg
Dimensions: 586x330x328mm
Packing size: 680x374x386 mm
20'/40'/40HQ: 288/612/612 pcs



CD25 330ml x34/ 500ml x17



Capacity: 25L
Average power consumption: 55W
N.W.: 11kg / G.W.: 13.8kg
Dimensions: 586x330x368mm
Packing size: 680x374x426 mm
20'/40'/40HQ: 240/510/612 pcs



CAR FRIDGE FREEZER A39P

Get fresh all the way

series



Set the left compartment to -20°C
and the right compartment to -2°C

Compressor

High-end Compressor
Refrigeration

$-20^{\circ}\text{C} \sim 20^{\circ}\text{C}$

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR

CAR USE
12/24V ADAPTOR



LED display screen



Dual temperature and
dual control



HDPE Integrated
blow molded door



Corrosion-Resistant
Metal Housing



App





A39P

DUAL-TEMP. WITH DUAL CONTROL

A39PB

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 39L
Average power consumption: 55W
N.W.: 13.5kg / G.W.: 18.1kg
Dimensions: 623.4x397.5x313.0mm
Packing size: 665x455x475 mm
20'/40'/40HQ: 172 / 360 / 450 pcs





A49P

DUAL-TEMP. WITH DUAL CONTROL

A49PB

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 49L
Average power consumption: 55W
N.W.: 14.5kg / G.W.: 19.5kg
Dimensions: 622.4x398.3x469.8mm
Packing size: 665x455x545mm
20'/40'/40HQ: 172 / 360 / 360 pcs




A59P

DUAL-TEMP. WITH DUAL CONTROL

A59PB

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 59L
Average power consumption: 55W
N.W.: 15.2kg / G.W.: 21kg
Dimensions: 622.7x398.3x541mm
Packing size: 665x455x615mm
20'/40'/40HQ: 129 / 270 / 360 pcs



CAR FRIDGE FREEZER A39B

Get fresh all the way

series

Set the left compartment to -20°C and the right compartment to -2°C

ok!

Compressor

High-end Compressor Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE 100-240V ADAPTOR CAR USE 12/24V ADAPTOR



LED display screen



Dual temperature and dual control



Glass cover with better thermal insulation effect



Corrosion-Resistant Metal Housing



A39 DUAL-TEMP. WITH DUAL CONTROL A39B

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 39L


Average power consumption: 55W

N.W.: 13.5kg / G.W.: 18.1kg

Dimensions: 623.4x397.5x399mm

Packing size: 665x455x475 mm

20'/40'/40HQ: 172 / 360 / 450 pcs



A49 DUAL-TEMP. WITH DUAL CONTROL A49B

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 49L


Average power consumption: 55W

N.W.: 14.5kg / G.W.: 19.5kg

Dimensions: 622.4x398.3x469.8mm

Packing size: 665x455x545mm

20'/40'/40HQ: 172 / 360 / 360 pcs



A59 DUAL-TEMP. WITH DUAL CONTROL A59B

DUAL-TEMP. WITH SINGLE CONTROL

Capacity: 59L


Average power consumption: 55W

N.W.: 15.2kg / G.W.: 21kg

Dimensions: 622.7x398.3x541mm

Packing size: 665x455x615mm

20'/40'/40HQ: 129 / 270 / 360 pcs



CAR FRIDGE FREEZER T40 series

Get fresh all the way

Compressor

High-end Compressor Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



LED display screen



APP control



Handheld at a 90 degree angle for easy truck handling




Equipped with a pull rope inside to prevent the door cover from tipping out after being lifted



T30A 330ml x44/ 500ml x22




Capacity: 30L
Average power consumption: 55W
N.W.: 13.5kg / G.W.: 14.9kg
Dimensions: 652x360x383mm
Packing size: 712x418x446mm
20' /40' /40HQ: 218/450/520 pcs



T40A 330ml x54/ 500ml x27




Capacity: 40L
Average power consumption: 55W
N.W.: 14.5kg / G.W.: 18.6kg
Dimensions: 652x360x468mm
Packing size: 712x418x532mm
20' /40' /40HQ: 185/383/430 pcs



T50A 330ml x72/ 500ml x37



Capacity: 50L
Average power consumption: 55W
N.W.: 15.2kg / G.W.: 17.8kg
Dimensions: 652x360x553mm
Packing size: 712x418x618mm
20' /40' /40HQ: 158/325/372 pcs



CAR FRIDGE FREEZER T30A

Get fresh all the way

series



Compressor

High-end Compressor
Refrigeration

HOME USE 100-240V ADAPTOR
CAR USE 12/24V ADAPTOR



-20° C ~ 20° C

Ultra-wide Freezing



LED screen display



APP control



Double doors can be easily swapped




push rod design
6-inch rubber wheels




T30-45A ^{330ml}x53/ ^{500ml}x26

Capacity: 45L
Average power consumption: 55W
N.W.: 19.5kg / G.W.: 22kg
Dimensions: 650x475x470mm
Packing size: 702x525x528mm
20' /40' /40HQ: 140/288/360 pcs




T30-55A ^{330ml}x68/ ^{500ml}x32

Capacity: 55L
Average power consumption: 55W
N.W.: 20.8kg / G.W.: 23.2kg
Dimensions: 650x475x550mm
Packing size: 702x525x608mm
20' /40' /40HQ: 105/216/288 pcs



T30-65A ^{330ml}x78/ ^{500ml}x37

Capacity: 65L
Average power consumption: 55W
N.W.: 22.9kg / G.W.: 25.1kg
Dimensions: 650x475x630mm
Packing size: 702x525x688mm
20' /40' /40HQ: 105/216/216 pcs



CAR FRIDGE FREEZER T30B

Get fresh all the way

series



Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE 100-240V ADAPTOR CAR USE 12/24V ADAPTOR



LED screen display



APP control



Double doors can be easily swapped




Freezing and refrigeration zones to avoid odor




T30-45B 330ml x53/ 500ml x26

Capacity: 45L
Average power consumption: 55W
N.W.: 16.5kg / G.W.: 19.0kg
Dimensions: 650x475x470mm
Packing size: 702x525x528mm
20'/40'/40HQ: 140/288/288 pcs




T30-55B 330ml x68/ 500ml x32

Capacity: 55L
Average power consumption: 55W
N.W.: 18.2kg / G.W.: 20.7kg
Dimensions: 650x475x550mm
Packing size: 702x525x608mm
20'/40'/40HQ: 105/216/288 pcs



T30-65B 330ml x78/ 500ml x37

Capacity: 65L
Average power consumption: 55W
N.W.: 18.7kg / G.W.: 21.2kg
Dimensions: 650x475x630mm
Packing size: 702x525x688mm
20'/40'/40HQ: 105/216/216 pcs



CAR FRIDGE FREEZER

Get fresh all the way

TC
series

Compressor

High-end Compressor
Refrigeration

-22°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



TC-55

Capacity: 55L
Average power consumption: 60W
Dimensions: 739x427x444mm



Expandable
Power Bank



Dual Temperature Dual Control



50mm insulation layer



Double-acting doors



Practical bottle opener



Sturdy Handle



Anderson connector

CAR FRIDGE FREEZER TAW

Get fresh all the way

series

Compressor

High-end Compressor
Refrigeration

HOME USE 100-240V ADAPTOR
CAR USE 12/24V ADAPTOR



-20° C ~ 20° C

Ultra-wide Freezing



Double door opening



APP control



Bottle opener



Tray table (optional)





App



TAW-35

330ml x52 / 500ml x26



Capacity: 35L
Average power consumption: 60W
N.W.: 17.3kg / G.W.: 19.8kg
Dimensions: 753x422x400mm
Packing size: 814x481x462mm
20' / 40' / 40HQ: 165/345/345 pcs



TAW-45

330ml x52 / 500ml x31



Capacity: 45L
Average power consumption: 60W
N.W.: 18.2kg / G.W.: 20.7kg
Dimensions: 753x422x450mm
Packing size: 814x481x512mm
20' / 40' / 40HQ: 132/276/345 pcs



TAW-55

330ml x64 / 500ml x39

Capacity: 55L
Average power consumption: 60W
N.W.: 19.5kg / G.W.: 22kg
Dimensions: 753x422x500mm
Packing size: 814x481x562mm
20' / 40' / 40HQ: 132/276/276 pcs



CAR FRIDGE FREEZER

Get fresh all the way

TA

series

Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE 100-240V ADAPTOR
CAR USE 12/24V ADAPTOR



Double door opening



APP control



Bottle opener



Tray table (optional)





App





TA-35 330ml x52 / 500ml x26

Capacity: 35L
Average power consumption: 60W
N.W.: 16.7kg / G.W.: 19.3kg
Dimensions: 713x400x400mm
Packing size: 814x481x462mm
20' / 40' / 40HQ: 165/335/335 pcs





TA-45 330ml x52 / 500ml x31

Capacity: 45L
Average power consumption: 60W
N.W.: 17.7 kg / G.W.: 20.3kg
Dimensions: 713x400x450mm
Packing size: 814x481x512mm
20' / 40' / 40HQ: 132/268/335 pcs



TA-55 330ml x64 / 500ml x39

Capacity: 55L
Average power consumption: 60W
N.W.: 18.7kg / G.W.: 21.3kg
Dimensions: 713x400x500mm
Packing size: 814x481x562mm
20' / 40' / 40HQ: 132/268/268 pcs



CAR FRIDGE FREEZER

Get fresh all the way

A75

series



Compressor

High-end Compressor
Refrigeration

-20°C ~ 20°C

Ultra-wide Freezing

HOME USE
100-240V ADAPTOR



CAR USE
12/24V ADAPTOR



APP CONTROL



A75 330ml x129 / 500ml x43

Capacity: 75L


Average power consumption: 65W

N.W.: 20.2kg / G.W.: 22.5kg

Dimensions: 882x480x483.9mm

Packing size: 925x525x530mm

20'/40'/40HQ: 96 / 200 / 200 pcs



Metal handle



Emergency switch



Top cover design



Double door
Two storage rooms



Digital display(C/°F)



Removable door panel

REFRIGERATOR OF DRAWER



YA30

Capacity: 30L
Average power consumption: 65W
Dimensions: 732x440x250mm

SIDE REFRIGERATOR OF TRUNK



• For Tesla Model 3

TM-10

Capacity: 10L
Average power consumption: 45W
Temperature range: -10°C~50°C
Dimensions: 573x442x315mm
Packing size: 515x385x625mm
20'/40'/40HQ: 183 / 384 / 512 pcs

• For Tesla Model Y

TM-Y15/TM-Y16

Capacity: 15L
Average power consumption: 45W
Temperature range: -5°C~20°C
Dimensions: 410x310x610mm
Packing size: 667x379x435mm
20'/40'/40HQ: 255 / 525 / 630 pcs



ARMREST REFRIGERATOR



EPS05

Capacity: 5L
Average power consumption: 55W
Temperature range: -6°C~6°C
Dimensions: 695x223x312mm
Fridge/Freezer function selective
Refrigerator Of Toyota Sienna



EPB07

Capacity: 7L
Average power consumption: 55W
Temperature range: -6°C~6°C
Dimensions: 545x245x360mm
Fridge/Freezer function selective
For Mercedes-Benz: Vito



EPB10

Capacity: 10L
Average power consumption: 55W
Temperature range: -6°C~6°C
Dimensions: 339x580x502mm
Fridge/Freezer function selective
For Mercedes-Benz: W167 (GLE)



EPB11

Capacity: 11L
Average power consumption: 55W
Temperature range: -6°C~6°C
Dimensions: 347x452x560mm
Fridge/Freezer function selective
For Mercedes-Benz: W223 (S-Class)

Refrigerator of Touring Car & Yacht



SU-YB-40

Capacity: 40L
 Average power consumption: 65W
 N.W.: 14.5kg / G.W.: 19.5kg
 Dimensions: 380x480x534mm
 Packing size: 540x440x595mm 1pc
 20'/40'/40HQ: 159 / 327 / 436 pcs




SU-YB-60

Capacity: 60L



SU-YB-85

Capacity: 85L



Internal customization





02

COMPRESSOR ICE CREAM MAKER

SLUSHIE & SOFT ICE CREAM MAKER




6-10



SU-S01

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 435x226x442mm
 Gift Box: 445x298x509mm
 Carton: 430x283x489mm 1pc/ctn
 N.W.: 11.5kg/ G.W.: 12.9kg
 20'/40'/40HQ: 388 / 788 / 985 pcs



Professional compressor



2L large-capacity double-layer mixing drum reduces the condensation effectively




Detachable mixing bucket



Cup holder



Slushie/Soft ice cream/
Spiked slushie/Cold drink/
Milk shake/Extrude/Clean



Easy to operate
push-pull rod

- Visualized mixing bucket, with clear visibility of the state of the smoothie
- Professional compressor, complete smoothie production in 30 minutes
- 2L ultra large capacity, suitable for 8 people to enjoy at the same time
- LED display screen, clear time display
- Detachable mixing bucket for easy cleaning
- Equipped with a powerful motor and a specially designed mixing rod, the ice sand is delicate and free of ice residue
- Easy to operate push-pull rod, making it easy to make smoothie cups
- One click cleaning makes cleaning easier
- Exquisite size, not taking up space

SLUSHIE & SOFT ICE CREAM MAKER



6-10



SU-S02

Capacity: 2L
Average power consumption: 150W
Unit Size: 435x226x442mm
Gift Box: 445x298x509mm
Carton: 430x283x489mm 1pc/ctn
N.W.: 11.5kg / G.W.: 12.9kg
20'/40'/40HQ: 388 / 788 / 985 pcs



SU-S03

Capacity: 2L
Average power consumption: 150W
Unit Size: 435x226x442mm
Gift Box: 445x298x509mm
Carton: 430x283x489mm 1pc/ctn
N.W.: 11.5kg / G.W.: 12.9kg
20'/40'/40HQ: 388 / 788 / 985 pcs

SMART CONTROL PANEL



SLUSHIE & SOFT ICE CREAM MAKER



New mixing barrel design



Automatic cleaning



Minimalist controller
Can automatically rebound



SU-S05 **NEW**

Capacity: 2L
Voltage frequency: 220-240V~/50HZ
Average power consumption: 150W
Unit Size: 415x192x411mm
Gift Box: 470x250x479mm
Carton: 485x265x499mm 1pc/ctn
20'/40'/40HQ: 424/964/1080pcs

SLUSHIE & SOFT ICE CREAM MAKER



Smart control panel



Cup holder



Magnetic drip tray design



SU-S07 **NEW**

Capacity: 2L
Voltage frequency: 220-240V~/50HZ
Average power consumption: 150W
Unit Size: 394x222x444mm
Gift Box: 430x283x489mm
Carton: 445x295x509mm 1pc/ctn
20'/40'/40HQ: 388 / 788 / 985 pcs

SLUSHIE & SOFT ICE CREAM MAKER



6-10



Submerged feeding port design



Self-cleaning mode



Simple Joystick

SLUSHIE & SOFT ICE CREAM MAKER



6-10



Top - mounted



Self-cleaning mode



New water tray design



SU-S08

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 388x221x440mm
 Gift Box: 435x226x442mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388/788/985 pcs



SU-S09

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 420x191x412mm
 Gift Box: 435x226x442mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388/788/985 pcs

SLUSHIE & SOFT ICE CREAM MAKER



6-10




SU-S11 **NEW**

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 429x192x406mm
 Gift Box: 430x283x489mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388/788/985 pcs



Professional compressor



2L large-capacity double-layer mixing drum reduces the condensation effectively



Sunken Feed Inlet Design



Cup holder



Easy to operate



Easy control push-pull rod



Spiked Slushie



Soft Ice Cream



Slushine



Cold Drink



Milk Shake

SLUSHIE & SOFT ICE CREAM MAKER



6-10




SU-S15 **NEW**

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 453x192x411mm
 Gift Box: 430x283x489mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388 / 788 / 985 pcs




Cup holder



Easy control push-pull rod



New water tray design



Piping lid



Easy to operate



Detachable mixing bucket

RETRO ROUNDED-CORNER DESIGN



AUTOMATIC CLEANING



SLUSHIE & SOFT ICE CREAM MAKER



6-10

SU-S18 **NEW**

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 448x222x441mm
 Gift Box: 430x283x489mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388 / 788 / 985 pcs



SLUSHIE & SOFT ICE CREAM MAKER



6-10

SU-S19 **NEW**

Capacity: 2L
 Average power consumption: 150W
 Unit Size: 448x222x441mm
 Gift Box: 430x283x489mm
 Carton: 445x298x509mm 1pc/ctn
 20'/40'/40HQ: 388 / 788 / 985 pcs



LED Display



2L Large Capacity



Water Drip Tray



LED Display



Cup holder



Automatic Cleaning



Childlike Pastry Bag



Easy to operate push-pull rod



Automatic Cleaning



Slushie



Soft ice cream



Milkshake

SNOWFLAKE ICE MACHINE



3-5

SU-Y01



SU-Y03



Dual-cylinder design

50mm ice-making roller



SU-Y01

Capacity: 660ML(single: 330ML)
Voltage frequency:220-240V~/50HZ
Average power consumption: 160W
Unit Size: 342x236x344mm
Gift Box: 402x295x345mm
Carton: 415x308x425mm 1pc/ctn
20'/40'/40HQ: 500 / 1040 / 1248 pcs



Snowflake-like

Noodle-like

Thin strip

Sheet-shaped

Sugar-free
Alcohol-free



SU-Y03

Capacity: 660ML(single: 330ML)
Voltage frequency:220-240V~/50HZ
Average power consumption: 160W
Unit Size: 342x236x344mm
Gift Box: 402x295x345mm
Carton: 415x308x425mm 1pc/ctn
20'/40'/40HQ: 500 / 1040 / 1248 pcs



SNOWFLAKE ICE MACHINE



SU-Y04

Capacity: 660ML(single: 330ML)
 Voltage frequency: 220-240V~/50HZ
 Average power consumption: 160W
 Unit Size: 342x236x344mm
 Gift Box: 398x292x398mm
 N.W.: 11.0kg/ G.W.: 12.9kg
 Carton: 600x410x414mm 1pc/ctn
 20'/40'/40HQ: 520 / 1060 / 1272 pcs



Snowflake-like



Noodle-like



Thin strip



Sheet-shaped



Sugar-free
Alcohol-free



Dual-cylinder design



Open lid design
(Cleaning is more convenient)



Adjustable speed with no limits



One-click cleaning function

COMPRESSOR ICE CREAM MACHINE



3-5

SU-i04



SU-i03



Exquisite volume,
not taking up space

30min

The time to make is short and can
be completed in 30 minutes.



One time 3-5 People enjoy



SU-i03

Capacity: 1L Power: 90W
Ice cream making time: 20-60 minutes
Dimensions: 258x258x340mm
Gift box: 305x305x405mm
Carton: 320x320x420mm 1pc/ctn
N.W.: 7.7kg/ G.W.: 9kg
20'/40'/40HQ: 595/ 1260 / 1512 pcs



SU-i04

Capacity: 1L Power: 90W
Ice cream making time: 20-60 minutes
Dimensions: 258x258x340mm
Gift box: 305x305x405mm
Carton: 320x320x420mm 1pc/ctn
N.W.: 7.7kg/ G.W.: 9kg
20'/40'/40HQ: 595/ 1260 / 1512 pcs



COMPRESSOR ICE CREAM MACHINE



COMPRESSOR ICE CREAM MACHINE



SU-i03A

Capacity: 1L Power: 90W
Ice cream making time: 20-60 minutes
Dimensions: 258x258x340mm
Gift box: 305x305x405mm
Carton: 320x320x420mm 1pc/ctn
N.W.: 7.7kg / G.W.: 9kg
20'/40'/40HQ: 595/ 1260 / 1512 pcs



SU-i01A

Capacity: 1.2L
Average power consumption: 110W
Unit Size: 370x262x225mm
Gift Box: 415x302x265mm
Carton: 428x320x288mm 1pc/ctn
N.W.: 8.2kg / G.W.: 8.7kg
20'/40'/40HQ: 658/1372/1568 pcs



COMPRESSOR ICE CREAM MACHINE



Easy to use



Low noise work



Uniform mixing



Detachable food
grade tank

SU-i12A

Capacity: 1.2L
Average power consumption: 110W
Unit Size: 370x262x222mm
Gift Box: 415x302x245mm
Carton: 428x320x288mm 1pc/ctn
N.W.:8.2kg / G.W.: 8.7kg
20'/40'/40HQ: 744/1520/1710 pcs



- Professional compressor, finish the ice cream within 45 minutes
- 1.2L Large capacity, one time making, 6 persons enjoy
- Touch control panel, stylish design
- Holographic screen design; The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- Removable motor design, cleaning easily

SU-i01

Capacity: 1.2L
Average power consumption: 110W
Unit Size: 370x262x225mm
Gift Box: 415x302x265mm
Carton: 428x320x288mm 1pc/ctn
N.W.:8.2kg / G.W.: 8.7kg
20'/40'/40HQ: 744/1520/1710 pcs



- Professional compressor, finish the ice cream within 45 minutes
- 1.2L Large capacity, one time making, 6 persons enjoy
- Touch control panel, stylish design
- Holographic screen design ; The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- Removable motor design, cleaning easily

SU-i02

Capacity: 1.2L
Average power consumption: 110W
Unit Size: 370x262x225mm
Gift Box: 415x302x265mm
Carton: 428x320x288mm 1pc/ctn
N.W.:8.2kg / G.W.: 8.7kg
20'/40'/40HQ: 744/1520/1710 pcs



- Professional compressor, finish the ice cream within 45 minutes
- 1.2L Large capacity, one time making, 6 persons enjoy
- Touch control panel, stylish design
- Holographic screen design; The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- Removable motor design, cleaning easily

COMPRESSOR ICE CREAM MACHINE



6-10



1.5L big capacity
1.5L Large capacity, one time making, 8 persons enjoy.



SU-i55 / i85

Capacity: 1.5L/2.0L
Average power consumption: 150W
Unit Size: 430x290x239mm
Gift Box: 490x350x315mm
Carton: 505x365x332mm 1pc/ctn
N.W.: 11.2kg / G.W.: 12.5kg
20'/40'/40HQ:450/960/1015 pcs


- Professional compressor
- Finish the ice cream within 45 minutes
- 1.5/2.0L Large capacity, 8 persons enjoy
- Touch control panel, stylish design
- Holographic screen design
- Visual and transparent cover



SU-i55-Y / i85-Y

Capacity: 2L
Average power consumption: 150W
Unit Size: 430x290x239mm
Gift Box: 490x350x315mm
Carton: 505x365x332mm 1pc/ctn
N.W.: 11.2kg / G.W.: 12.5kg
20'/40'/40HQ:450/960/1015 pcs

- Professional compressor
- Finish the ice cream within 45 minutes
- 1.5/2.0L Large capacity, 8 persons enjoy
- Touch control panel, stylish design
- Holographic screen design
- Visual and transparent cover
- With yogurt maker function



COMPRESSOR ICE CREAM MACHINE



6-10



2.0L BIG CAPACITY
2.0L Large capacity, one time making, 10 persons enjoy.

SU-i54 / i84



Capacity: 1.5L / 2.0L Power: 150W
Dimensions: 455x305x239mm
Gift box: 500x348x270mm
Carton: 500x380x320mm 1pcs/ctn
N.W.: 12.6kg / G.W.: 13.3kg
20'/40'/40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime

SU-i54-Y / i84-Y



Capacity: 1.5L / 2.0L Power: 150W
Dimensions: 455x305x239mm
Gift box: 500x348x270mm
Carton: 500x380x320mm 1pcs/ctn
N.W.: 12.6kg / G.W.: 13.3kg
20'/40'/40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- With yogurt maker function



COMPRESSOR ICE CREAM MACHINE



6-10



SU-i53 / i83

Capacity: 1.5L / 2.0L Power: 150W
 Dimensions: 455x305x239mm
 Gift box: 500x348x270mm
 Carton: 500x380x320mm 1pc/ctn
 N.W.: 12.6kg / G.W.: 13.3kg
 20' / 40' / 40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime

SU-i53-Y / i83-Y

Capacity: 1.5L / 2.0L
 Power: 150W Heating power: 80W
 Dimensions: 455x305x239mm
 Gift box: 500x348x270mm
 Carton: 500x380x320mm 1pc/ctn
 N.W.: 12.6kg / G.W.: 13.3kg
 20' / 40' / 40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- With yogurt maker function



COMPRESSOR ICE CREAM MACHINE



6-10



2.0L BIG CAPACITY
2.0L Large capacity, one time making, 10 persons enjoy.



SU-i51 / i81

Capacity: 1.5L / 2.0L Power: 150W

Dimensions: 455x305x239mm

Gift box: 500x348x270mm

Carton: 500x380x320mm 1pc/ctn

N.W.: 12.6kg / G.W.: 13.3kg

20'/40'/40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime



SU-i51-Y / i82-Y

Capacity: 1.5L / 2.0L

Cooling Power: 150W Heating power: 80W

Dimensions: 455x305x239mm

Gift box: 500x348x270mm

Carton: 500x380x320mm 1pc/ctn

N.W.: 12.6kg / G.W.: 13.3kg

20'/40'/40HQ: 460 / 965 / 1090 pcs

- Professional compressor, finish the ice cream within 45 minutes
- 1.5L/2.0L Large capacity, one time making, 8 persons enjoy
- Button control panel, stylish design; Holographic screen design
- The digital screen, show the time clearly
- Visual and transparent cover, Know the ice cream status clearly anytime
- With yogurt maker function



COMPRESSOR ICE CREAM MACHINE



6-10



1.5L big capacity
1.5L Large capacity, one time making, 8 persons enjoy.



Ec



SU-i15A

- Capacity: 1.5L
Average power consumption: 150W
Unit Size: 430x290x239mm
Gift Box: 490x350x315mm
Carton: 505x365x332mm 1pc/ctn
N.W.: 11.2kg / G.W.: 12.5kg
20'/40'/40HQ:450/960/1015 pcs
- Professional compressor
 - Finish the ice cream within 45 minutes
 - 1.5L Large capacity, 8 persons enjoy
 - Touch control panel, stylish design
 - Holographic screen design
 - Visual and transparent cover



SU-i80

- Capacity: 2L
Average power consumption: 150W
Unit Size: 430x290x239mm
Gift Box: 490x350x315mm
Carton: 505x365x332mm 1pc/ctn
N.W.: 11.2kg / G.W.: 12.5kg
20'/40'/40HQ:450/960/1015 pcs
- Professional compressor
 - Finish the ice cream within 45 minutes
 - 2L Large capacity, 8 persons enjoy
 - Touch control panel, stylish design
 - Holographic screen design
 - Visual and transparent cover



SU-i81-Y

- Capacity: 2L
Average power consumption: 150W
Heating: 80W
Unit Size: 430x290x239mm
Gift Box: 490x350x315mm
Carton: 505x365x332mm 1pc/ctn
N.W.: 11.2kg / G.W.: 12.5kg
20'/40'/40HQ:450/960/1015 pcs
- Professional compressor
 - Finish the ice cream within 45 minutes
 - 2L Large capacity, 8 persons enjoy
 - Touch control panel, stylish design
 - Holographic screen design
 - Visual and transparent cover
 - With yogurt maker function

MINI FRIDGES

HA-36/HA-60 **NEW**



- Capacity: 36L/60L
- Power: 55w
- Power supply :100V~ 50/60HZ
- -20°C~20°C adjustable (can be refrigerated and frozen)
- 36L Size: 449x345x675mm
- 60L Size: 449x345x940mm




Removable divider



Can stand 2L bottle water upright



compact size



Refrigeration/freezing function can be set as needed



Refrigerated beverages coffee, etc



can also serve as a dressing table



Can be placed in the kitchen Refrigerate fruits and vegetables

ZA-30 **NEW**

- Capacity: 30L
- Dimensions: 470x485x504mm
- Gift box: 540x525x485mm
- Carton: 555x540x505mm 1pc/ctn
- 20'/40'/40HQ: 160 / 336 / 420 pcs

ZAH-30 **NEW**

- Capacity: 30L
- Dimensions: 470x485x804mm
- Gift box: 540x525x48.5mm
- Carton: 555x540x505mm 1pc/ctn
- 20'/40'/40HQ: 160 / 336 / 420 pcs

